



Product Compliance Certificate

Certificate Number: 3175174-OK-12-207-02A

Certification is based on the type testing according to below named standards and production is monitored by an Initial and Annual Follow up Inspection Service.

Notice to Authorities:

This certificate indicates that a third party Accredited Body has tested and verified that the products listed comply with the relevant harmonized standards to directives listed on this certificate. The manufacturer may indicate compliance to said directive by signing a Declaration of Conformity to products identical to the tested samples.

In addition, annual factory inspection has been performed for further verification of compliance. Intertek requests all whom may be concerned to allow products entry into the European market without delay or prejudice. The applicant may rightfully use this certificate to mark their products with the ETL^{EU} mark identified above.

Intertek is a leading international provider of quality and safety services to a wide range of global and local industries. Intertek's laboratories are included in IECEE CB scheme as operational CBTL and hold several local accreditations.

For further information:

Email: ETL.EU@intertek.com
Website: www.intertek.com/ETLeu

Or

Intertek Sweden
Hotline:+46 8 750 00 00
Address:Torshamnsgatan 43,
Box 1103, 164 22 KISTA, Sweden

Certification Body:
Intertek Testing Services NA Inc.
165 Main Street, Cortland
NY 13045

Applicant

Paradox Security Systems Ltd
6 Milton St
PO Box F-42498
Freeport, Bahamas

Manufacturing Site

Paradox Security Systems Ltd.
780 boul. Industriel Est
Saint Eustache, QC J7R 5V3 Canada

Product Name

Digiplex EVO High Security and Access System

Trademark

Paradox

Model Number(s)

EVO192, ZX8, TM40, RTX3, PGM4, TM50

Description

The Digiplex EVO System is an advanced technology security system consisting of the EVO192 Control Panel including the control board, ZX8 8-Zone Expansion Module and the TM40 Touch Interface Module.

The Digiplex EVO192 Control panel has 8 on-board zone inputs (16 with zone doubling) that is expandable to 192 zones via the 4-wire combus. The digital combus provides constant power, supervision, and two-way communication between the control panel and all its modules. The control board contains 5 on-board solid-state PGM outputs. It will support 254 expansion bus modules. It also contains the following: 999 user codes, 8 partitions, 2048 events buffered, 1 supervised bell output, auxiliary output, and telephone line. The zones can be configured as an entry delay, follow, instant, 24 hr. buzzer, 24 hr. burglary, 24 hr. hold-up, 24 hr. Gas, 24 hr. water, 24 hr. freeze, delayed 24 hr. fire, standard 24 hr. fire, and stay delay.

The PGM4 expansion module provides 4 programmable outputs to the EVO192 systems. The PGM4 automatically detects the system to which it is connected to and adjusts its internal communication parameters accordingly

The EVO192 can also be configured with a Dialer for alarm transmission purposes. See Intertek reports 100803903MIN-011 and 100803903MIN-012 for the Dialer specifications and test data.

The EVO192 may be configured with an RTX3 Expansion module. This is a 2-way, 32 zone wireless expansion module which can support wireless hardware such as motion detectors, remote controls, etc. The RTX3 is powered from, and communicates to the EVO192 through a wired connection.

The TM50 Touch interface Module may also be used with the EVO192. For evaluation to EN 50131-1, see report 100803903MIN-001.

Classification of installation and use: Security EVO192, TM40, TM50, PGM4: Security grade 3, RTX3: Security Grade 2, Environmental class II

Test Report No

100484764MIN-011EU

Standards/Directives

EN 50131-1: 2006 + A1: 2009

Issued Date

March 4, 2013

Validity

March 4, 2018

Maximum 5 years or the validity limitation of the standards/directives used, whichever is sooner.

If the product is to be marketed in different European countries, it must be provided with a certified plug appropriate for each country. Safety related parts of the user instructions shall be written in a language acceptable to the country where the product is to be used.

This certificate, which includes production control, is considered to constitute sufficient support for an EC Declaration of Conformity and CE marking of the product according to the Low Voltage Directive 2006/95/EC. Other EU directives may apply.

Ellenfuialek

Name of Certifier

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement. They are not for the purpose of production quality control and do not relieve the Client of their obligation in this respect.





Product Compliance Certificate

Certificate Number: 3175174-OK-12-206-02A

Certification is based on the type testing according to below named standards and production is monitored by an Initial and Annual Follow up Inspection Service.

Notice to Authorities:

This certificate indicates that a third party Accredited Body has tested and verified that the products listed comply with the relevant harmonized standards to directives listed on this certificate. The manufacturer may indicate compliance to said directive by signing a Declaration of Conformity to products identical to the tested samples.

In addition, annual factory inspection has been performed for further verification of compliance. Intertek requests all whom may be concerned to allow products entry into the European market without delay or prejudice. The applicant may rightfully use this certificate to mark their products with the ETL^{EU} mark identified above.

Intertek is a leading international provider of quality and safety services to a wide range of global and local industries. Intertek's laboratories are included in IECEE CB scheme as operational CBTL and hold several local accreditations.

For further information:

Email: ETL.EU@intertek.com
Website: www.intertek.com/ETLeu

Or

Intertek Sweden
Hotline:+46 8 750 00 00
Address:Torshamnsgatan 43,
Box 1103, 164 22 KISTA, Sweden

Certification Body:
Intertek Testing Services NA Inc.
165 Main Street, Cortland
NY 13045

Applicant

Paradox Security Systems Ltd
6 Milton St
PO Box F-42498
Freeport, Bahamas

Manufacturing Site

Paradox Security Systems Ltd.
780 boul. Industriel Est
Saint Eustache, QC J7R 5V3 Canada

Product Name

Digiplex EVO High Security and Access System

Trademark

Paradox

Model Number(s)

EVO192, ZX8, TM40, RTX3, PGM4, TM50

Description

The Digiplex EVO System is an advanced technology security system consisting of the EVO192 Control Panel including the control board, ZX8 8-Zone Expansion Module, and the TM40 Touch Interface Module.

The Digiplex EVO192 Control panel has 8 on-board zone inputs (16 with zone doubling) that is expandable to 192 zones via the 4-wire combus. The digital combus provides constant power, supervision, and two-way communication between the control panel and all its modules. The control board contains 5 on-board solid-state PGM outputs. It will support 254 expansion bus modules. It also contains the following: 999 user codes, 8 partitions, 2048 events buffered, 1 supervised bell output, auxiliary output, and telephone line. The zones can be configured as an entry delay, follow, instant, 24 hr. buzzer, 24 hr. burglary, 24 hr. hold-up, 24 hr. Gas, 24 hr. water, 24 hr. freeze, delayed 24 hr. fire, standard 24 hr. fire, and stay delay.

The PGM4 expansion module provides 4 programmable outputs to the EVO192 systems. The PGM4 automatically detects the system to which it is connected to and adjusts its internal communication parameters accordingly

The EVO192 can also be configured with a Dialer for alarm transmission purposes. See Intertek reports 100803903MIN-011 and 100803903MIN-012 for the Dialer specifications and test data.

The EVO192 may be configured with an RTX3 Expansion module. This is a 2-way, 32 zone wireless expansion module which can support wireless hardware such as motion detectors, remote controls, etc. The RTX3 is powered from, and communicates to the EVO192 through a wired connection.

The TM50 Touch interface Module may also be used with the EVO192. For evaluation to EN 50131-3, see report 100803903MIN-002

Classification of installation and use: Security grade 3, Environmental class II

Test Report No

100484764MIN-012EU

Standards/Directives

EN 50131-3: 2009

Lab accreditation: Tested in accordance with A2LA accreditation to IEC/ISO 17025:2005, Certificate number 1427.01

Issued Date
March 4, 2013

Validity
March 4, 2018

Maximum 5 years or the validity limitation of the standards/directives used, whichever is sooner.

If the product is to be marketed in different European countries, it must be provided with a certified plug appropriate for each country. Safety related parts of the user instructions shall be written in a language acceptable to the country where the product is to be used.

This certificate, which includes production control, is considered to constitute sufficient support for an EC Declaration of Conformity and CE marking of the product according to the Low Voltage Directive 2006/95/EC. Other EU directives may apply.

Ellenfmialek

Name of Certifier

This certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the client is authorized to permit copying or distribution of this Certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Certificate. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement. They are not for the purpose of production quality control and do not relieve the Client of their obligation in this respect.

